

RACE	2017 Desert Classic		
TRACK	Hobby Action RC Raceway		
NAME	TyTessmann	DATE	14/03/2017

LAPS		BEST LAP TIME		sec
QUALIFYING POSITION		FINAL POSITION		

TRACK SIZE	<input type="checkbox"/> OPEN	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> TIGHT	
TRACK TRACTION	<input type="checkbox"/> HIGH	<input type="checkbox"/> MEDIUM	<input checked="" type="checkbox"/> LOW	
TRACK SURFACE	<input checked="" type="checkbox"/> SMOOTH	<input type="checkbox"/> MEDIUM	<input type="checkbox"/> BUMPY	
TRACK TYPE	<input checked="" type="checkbox"/> HARD PACKED	<input type="checkbox"/> SOFT DIRT	<input type="checkbox"/> CLAY	
	<input type="checkbox"/> CARPET	<input type="checkbox"/> BLUE GROOVE	<input type="checkbox"/> ASTRO TURF	
	<input type="checkbox"/> GRASS			
TRACK CONDITION	<input checked="" type="checkbox"/> DRY	<input type="checkbox"/> DUSTY	<input type="checkbox"/> WET	<input type="checkbox"/> MUD

DIFFERENTIAL TYPE		
FRONT ↓	MIDDLE ↓	REAR ↓
GEAR DIFF <input checked="" type="checkbox"/>	GEAR DIFF <input type="checkbox"/>	GEAR DIFF <input checked="" type="checkbox"/>
BALL DIFF <input type="checkbox"/>	SLIPPER <input checked="" type="checkbox"/>	BALL DIFF <input type="checkbox"/>
OIL 6K cst	OIL _____ cst	OIL 6K cst
SATELLITE GEARS		
COMPOSITE <input checked="" type="checkbox"/>	COMPOSITE <input type="checkbox"/>	COMPOSITE <input checked="" type="checkbox"/>
STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>	STEEL <input type="checkbox"/>
CROWN GEAR	SLIPPER	CROWN GEAR
COMPOSITE <input type="checkbox"/>	0 mm	COMPOSITE <input checked="" type="checkbox"/>
STEEL <input checked="" type="checkbox"/>	SLIPPER ADJUSTMENT	STEEL <input type="checkbox"/>
ALU <input type="checkbox"/>		ALU <input type="checkbox"/>

COMPOSITE <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>	PINION	COMPOSITE <input type="checkbox"/>	STEEL <input checked="" type="checkbox"/>
------------------------------------	---	--------	------------------------------------	---

GEARING	
PINION	20 T
SPUR GEAR	81 T

FRONT	SHOCKS	REAR
2 Dot	SPRINGS	2 Dot
cst 550	OIL	cst 500
	REBOUND	
	%	%
<input checked="" type="checkbox"/> 2 HOLES	<input type="checkbox"/> ø1.2mm	<input checked="" type="checkbox"/> 2 HOLES
<input type="checkbox"/> 3 HOLES	<input type="checkbox"/> ø1.3mm	<input type="checkbox"/> 3 HOLES
<input type="checkbox"/> 6 HOLES	<input checked="" type="checkbox"/> ø1.6mm	<input type="checkbox"/> 6 HOLES
	<input type="checkbox"/> ø1.7mm	
	CUSTOM PISTONS	
	ø _____ mm	
	ø _____ mm	

FRONT	ANTI ROLL BAR	REAR
1.0 mm	THICKNESS	1.2 mm

FRONT	TIRES	REAR
PL Positron	TYPE	PL Positron
PL	INSERTS	PL
Xray	WHEELS	Xray

ELECTRONICS		
MOTOR	5.5	R10.1 SPEEDO
TIMING		3800 BATTERIES

ELECTRONICS LAYOUT	
SERVO POSITION	LEFT <input type="checkbox"/> RIGHT <input checked="" type="checkbox"/>
MOTOR POSITION	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>
SPEEDO POSITION	LEFT <input checked="" type="checkbox"/> RIGHT <input type="checkbox"/>
RECEIVER POSITION	LEFT <input type="checkbox"/> RIGHT <input checked="" type="checkbox"/>
BATTERY POSITION	FRONT <input checked="" type="checkbox"/> REAR <input type="checkbox"/>

COMMENTS

FRONT	APPLIED <input checked="" type="checkbox"/> / NOT APPLIED <input type="checkbox"/>	REAR
--------------	--	-------------

STEERING BLOCK
 MEDIUM
 GRAPHITE

SHIM
 1 mm

DRIVE SHAFT
 STANDARD

UPPER SHOCK POSITION

DRIVE SHAFT
 STANDARD

SHIM
 mm

CAMBER LINK LOCATION
 4 5

FRONT ROLL CENTER

REAR UPPER ROLL CENTER

CAMBER LINK LOCATION
 1 2 3

OPTIONAL ALU REAR UPRIGHT
 RIGHT #363351
 LEFT #363352

DOWNSTOP
 #107711 GAUGE

LOWER SHOCK POSITION

DOWNSTOP
 #107711 GAUGE

SHOCK TOWER POSITION
 FRONT REAR

SHOCK POSITION
 FRONT REAR

CASTER
 6°
 9°
 12°

CASTER BLOCK
 MEDIUM
 HARD
 ALU

OFFSET
 0 SLOTS

OFFSET
 0 SLOTS

BUMP STEER SHIM
 1.5 mm

UPRIGHT WHEELBASE SHIM
 IN FRONT OF ARM

ROLL CENTER
 1°
 0.5°

ECCENTRIC BUSHINGS
 1°
 0.5°

FF **RF** **FR** **RR**

ALU BRASS

ALU BRASS

FRONT TOE
 .5

REAR TOE

ARM SHIM
 0 mm

UPPER PLATE
 STANDARD
 STEERING BRACE

BUMP STEER SHIM
 2 mm

SERVO SAVER
 SOFT
 MEDIUM
 TIGHT

GRAPHITE FOR REAR BRACE
 YES
 NO

REAR BRACE
 MEDIUM
 HARD

ARM SHIM
 2 mm

FRONT CAMBER
 -1°

FRONT ARM
 MEDIUM
 GRAPHITE
Hard

REAR CAMBER
 -1°

REAR ARM
 MEDIUM
 GRAPHITE
Hard

DOWNSTOP SHIM
 2 mm

LENGTH
 23 mm

UPSTOP SHIM
 0 mm

RIDE HEIGHT
 20 mm

RIDE HEIGHT
 20 mm

RIDE HEIGHT
 20 mm

DOWNSTOP SHIM
 0 mm

LENGTH
 30.5 mm

UPSTOP SHIM
 0 mm

BODY
 STANDARD
 LIGHT

BALANCE
 0 g

CHASSIS
 STANDARD

BALANCE
 0 g

WING THICKNESS
 1.0mm 1.5mm 2.0mm

WING CUTTING LINE
 4 3 2 1

CHASSIS FLEX
 SCREW USED
 SCREW NOT USED

SIDE GUARDS
 MEDIUM
 HARD

BALANCE
 0 g